



Starcraft[®]


PROFESSIONAL TOOLS



ROTARY ACCESSORIES



CARVING / SOFT MATERIALS



HIGH SPEED CUTTERS

High speed cutters can be used for shaping, hollowing, grooving, slotting, making tapered holes in soft metals, plastics and woods. 17330301C cutter can be used to make small slits.



CLAMSHELL



1/4" 6,4mm	5/16" 7,9mm	5/16" 7,9mm	1/4" 6,4mm	1/4" 6,4mm	1/8" 3,2mm	1/4" 6,4mm	5/16" 7,9mm	1/4" 6,4mm
17230305C	17230306C	17200313C	17320304C	17250304C	17310304C	17270305C	17270306C	17310305C
5/16" 7,9mm	5/16" 7,9mm	3/32" 2,4mm	1/8" 3,2mm	3/16" 4,8mm	5/64" 2,0mm	1/8" 3,2mm	7/32" 5,6mm	3/8" 9,5mm
17240305C	17340302C	17230310C	17230311C	17340301C	17200305C	17200301C	17200307C	17330301C



CARVING / HARD MATERIALS

TUNGSTEN CARBIDE CUTTERS

Use for shaping, smoothing and material removal. Use on hardened steel, stainless steel, cast iron, nonferrous metals, fired ceramics, plastics, hardwoods and other hard materials. Not for use with floor tile.



1/8"
3,2 mm

1/8" 3,2 mm 3/32" 2,4 mm 1/8" 3,2 mm 3/32" 2,4 mm 1/8" 3,2 mm 1/8" 3,2 mm 1/8" 3,2 mm 1/8" 3,2 mm 1/8" 3,2 mm



41000311C 41000313C 41020301C 41000301C 41030301C 41040301C 41110301C 41100301C 41070301C

ENGRAVING / SOFT MATERIALS

ENGRAVING CUTTERS

Quality cutters for detail engraving, carving, routing in wood, fiberglass, plastic and soft metals.



3/32"
2,4 mm

1/32" 0,8mm 1/16" 1,6mm 3/32" 2,4mm 1/32" 0,8mm 1/16" 1,6mm 5/64" 2,0mm 1/32" 0,8mm 1/16" 1,6mm



17230301C 17230302C 17230303C 17200302C 17200303C 17200304C 17200310C 17200312C

ENGRAVING / HARD MATERIALS

DIAMOND WHEEL POINTS

For fine detail work, engraving, carving, touch-up and finishing. Use on wood, jade, ceramic, glass, hardened steel, semi precious stones and other hard materials. Bits are covered with diamond particles.



3/32"
2,4 mm

5/64" 2,0 mm 11/64" 4,4 mm 17/64" 6,7 mm 3/32" 2,4 mm 3/16" 4,8 mm 5/64" 2,0 mm 3/32" 2,4 mm



25110301C 25110302C 25110303C 25110304C 25110305C 25110306C 25110307C 25110301C 25110307C 251102



GRINDING/SHARPENING / FERROUS MATERIALS

CHAIN SAW SHARPENING STONES – 26980364C, 26980365C, 26980366C

Precision-ground for quick, easy sharpening of chain saw blades. Each package contains 2 stones.



1/8"
3,2 mm

ALUMINUM OXIDE ABRASIVE WHEEL – 26980363C

Perfect for cleaning, de-burring, removing rust, and polishing of most metals, including stainless steel.

ALUMINUM OXIDE ABRASIVE POINT – 26980303C

Abrasive point is great for finishing work and light de-burring. It can be used for paint and rust removal without removing any of the base material.

ALUMINUM OXIDE GRINDING WHEEL – 26150301C

Use for de-burring, rust removal and general purpose grinding. 2 Per Pack. Use 26150001 with Mandrel 27240001.

REINFORCED ALUMINUM OXIDE GRINDING WHEEL – 26010320C

Ideal for shaping, smoothing, sharpening, deburring, rust removal and general purpose edge grinding on most materials - including stainless steel.



CLAMSHELL

5/32"
4,0 mm



26980364C

3/16"
4,8 mm



26980365C

7/32"
5,6 mm



26980366C

1"
25,4 mm



26980363C

1/2"
12,7 mm



26980303C

7/8"
22,2 mm



26150301C

1-1/2"
38,1 mm



26010320C



GRINDING/SHARPENING / FERROUS MATERIALS

ALUMINIUM OXIDE GRINDING STONES (ORANGE / BROWN)

Use on metals, castings, welded joints, rivets and rust. Ideal for sharpening, de-burring and general purpose grinding of most materials.



1/8"
3,2 mm

7/16"
11,1 mm



26980351C

3/8"
9,5 mm



26980301C

5/8"
15,9 mm




26980353C

3/16"
4,8 mm



26980354C

3/8"
9,5 mm



26980303C

1/4"
6,4 mm



26980304C

5/8"
15,9 mm



26980305C

1/8"
3,2 mm



26980306C

3/16"
4,8 mm



26980307C

3/8"
9,5 mm



26980308C

5/8"
15,9 mm



26980309C

1"
25,4 mm



26980310C

GRINDING/SHARPENING / NON-FERROUS MATERIALS

SILICON CARBIDE GRINDING STONES (BLUE/GREEN)

Designed to work well on stone, glass, ceramics, porcelain and non-ferrous metals.



1/8"
3,2 mm

9/32"
7,1 mm



27260301C

1/8"
3,2 mm



27260302C

1/8"
3,2 mm



27260303C

3/16"
4,8 mm



27260304C

25/32"
19,8 mm



27260305C

13/32"
10,3 mm



27260306C

1/2"
12,7 mm



27260308C



CUTTING / CUT-OFF WHEELS

REINFORCED CUT-OFF WHEEL, 1-1/2"(38mm)

Reinforced cut-off wheels for cutting metal and plastic.



26030310C



26030311C



26030312C12



26030313C

CUTTING / METAL (Limited use on wood and plastic)

CUT-OFF WHEELS – 26140301C, 26140302C, 26140304C

For slicing and cutting metal, wood and plastic. Cut-off wheels make it easy to cut or slot bolts, screws, sheet metal, thin wood and plastic. The cut-off wheel cuts only along its edge. Do not attempt to sand or cut curved holes with them. Use with mandrel 27240001.

FIBERGLASS REINFORCED CUT-OFF WHEELS – 26140306C, 26140307C

Use with mandrel 27240001. Mandrel 27240001 is sold separately.

15/16"
23,8 mm
.025" thick



26140301C

15/16"
23,8 mm
.040" thick



26140302C

1-1/4"
31,8 mm
.0625" thick




26140304C

1-1/4"
31,8 mm
.045" thick



26140306C

1-1/2"
38,1 mm
.045" thick



26140307C

Cut-off wheel
20 per pack



26140308C20

CUTTING / WOOD

CARBIDE CUTTING/SHAPING WHEEL – 23600304C \ 23600305C

For cutting and shaping on soft and hard woods, fiber glass, plastics and laminates. Do not use on metal. Mandrel included. Thickness .070" (1,8 mm).



1/8"
3,2 mm

1 - 1/4"
31,8 mm



23600304C

1 - 1/2"
38,1 mm



23600305C



CUTTING / HARD MATERIALS

DIAMOND WHEEL – 23600303C

Great for cutting, sawing and carving of hard materials such as marble, concrete, brick, porcelain, ceramics, hard epoxy, soft and hard wood. Mandrel is included. Thickness .023" (0,6 mm). Do not run in excess of 20,000 RPM.

7/8"
22,2 mm



1/8"
3,2 mm



23600303C

CUTTING / HARD MATERIALS

DRYWALL CUTTING BIT – 40680301C

Gives you fast clean cuts in drywall.

MULTIPURPOSE CUTTING BIT – 40690301C

Cuts hardwood up to 3/8" and softwood up to 5/8".

Also cuts plastic, fiberglass, drywall, laminate, aluminum & vinyl siding.

TILE CUTTING BIT – 30460301C

Cuts ceramic wall tile, cement board, and plaster. (Not for use on floor tile.)

CARBID GROUT REMOVAL BITS – 30760301C, 30760302C

Ideal for replacing wall and floor grout or removing grout to replace broken tiles.



1/8"
3,2 mm

STAND AND POINT ZIP BITS – 40700301C

Ideal for basic drywall cut-outs. cut up to 1-inch(25mm) thick material.

1/8"
3,2 mm

1/8"
3,2 mm

1/8"
3,2 mm

1/16"
1,6 mm

1/8"
3,2 mm

1/8"
3,2 mm



40680301C

40690301C

30460301C

30760301C

30760302C

40700301C



CLEANING/POLISHING

FELT POLISHING ACCESSORIES – 26260301C6 / 26260302C6, 26270350C, 26260305C / 26260306C

Ideal for polishing metal and plastics. Using polishing compound 26360005 with wheels produces a high luster. Use with Mandrel 27230001.

POLISHING CLOTH – 27080308C

Made to take a smooth finish and polish it to a high luster.

POLISHING COMPOUND – 26360305C / 26360306C

Use with felt or cloth accessories to polish metals and plastics.

Compound will remove a dull oxidized film and/or light surface imperfections. A solid compound.

EMERY IMPREGNATED POLISHING WHEEL – 26170301C

Ideal for general polishing of most ferrous metal, stone, glass and ceramic.

RUBBER POLISHING POINTS – 27250001, 27250002, 27250003

Blue points for finishing and polishing all ferrous metals.

Removes small burrs and scratch marks left by grinding and sanding, and cleans and defines grooves. Also effective on many stones and ceramics.

CLAMSHELL



Felt 1/2" dia.
6 per pack

Felt 3/8" dia.

Felt 1" dia.

Cloth 1" dia.

5mm

7mm

5mm

7mm



26260301C6/26260302C6

26270350C

26260305C / 26260306C

27080308C



1" | 25,4 mm



1/4"
6,4 mm



1/4"
6,4 mm



1/4"
6,4 mm



26360305C / 26360306C

26170301C

27250301C

27250302C

27250303C



CLEANING/POLISHING

POLISHING WHEEL – 27370301C

Use for light stock removal and high luster polishing of metals and hard plastics. The wheel is impregnated with a silicon carbide abrasive and lubricant, eliminating the need for polishing compound.

ABRASIVE BRUSH – 26730301C

Dremel's strongest and longest lasting brush. Extra-thick nylon bristles are coated with an abrasive grit for material removal on the toughest jobs. Use for de-burring metal or wood and for removing rust and paint. Do not run brush in excess of 20,000 RPM.

BRISTLE BRUSHES – 27270301C, 27270302C, 27270303C

Use for light de-burring, cleaning, polishing of silverware, jewelry and other precious metals; can use with polishing compound.

CARBON STEEL BRUSHES – 26200306C, 26750306C, 26760305C

Versatile brush for removing rust and corrosion, polish metal surfaces. De-burr and blend surface junctures, clean electrical components.

STAINLESS STEEL BRUSHES – 26203046C, 26750326C, 26760306C

Stainless steel brushes do not cause "after-rust" when used on corrosive-resistant materials like pewter, aluminum and stainless steel.

BRASS BRUSHES – 26200307C, 26750307C, 26760307C

Brass brushes are non-sparking and softer than steel. They will not scratch soft metals like gold, copper, brass. Do not run brushes in excess of 15,000 RPM.



1/8"
3,2 mm

1/2"
12,7 mm



27370301C

1"
25,4 mm



26730301C

3/4"
19,1 mm



27270301C

1/2"
12,7 mm



27270302C

1/8"
3,2 mm



27270303C

3/4"
19,1 mm



26200306C

1/2"
12,7 mm



26750306C

1/8"
3,2 mm



26760305C

3/4"
19,1 mm



26200346C

1/2"
12,7 mm



26750326C

1/8"
3,2 mm



26760306C

3/4"
19,1 mm



26200307C

1/2"
12,7 mm



26750307C

1/8"
3,2 mm



26760307C



SANDING

DETAIL ABRASIVE BRUSHES – 27400301C, 27400302C, 27400303C

Great for detail cleaning and light sanding. Use on metal, glass, wood, aluminum and plastics. Use with 27240001 mandrel. Mandrels sold separately. Not to be used in excess of 15,000 RPM.



1/8"
3,2 mm

FINISHING ABRASIVE BUFFS – 27280301C, 27280302C, 27280303C

Great for cleaning and light sanding. Use on metal, glass, wood, aluminum and plastics. The 27280003 fine-grit buff is particularly ideal for removing tarnish from brass. Use with 27240001 mandrel. Mandrels sold separately. Not to be used in excess of 15,000 RPM.

FLAPWHEELS – 26220328C, 26220338C, 26220329C, 26220330C


Flapwheels grind and polish flat or contoured surfaces. They are used most effectively as a finishing sander after heavier surface sanding and material removal is completed.

CARBIDE SHAPING WHEEL – 23600306C

A powerful shaping tool that quickly and efficiently removes material. Easily creates compound curves and works on a variety of materials including woods, fiberglass, laminates, plastic, and leather. Mandrel included.

Grit:	36 Coarse	120 Medium	220 Fine	180 Coarse	280 Medium	320 Fine
	27400301C	27400302C	27400303C	27280301C	27280302C	27280303C

Grit:	80 3/8" 9,5 mm	120 3/8" 9,5 mm	80 3/16" 4,8 mm	120 3/16" 4,8 mm	1-1/4" 31,8 mm
	26220328C	26220338C	26220329C	26220330C	26300306C



SANDING

SANDING BANDS – 26230310C, 26230300C, 26230302C, 26250302C, 26230305C, 26230304C, 26230354C

For rough shaping and smoothing wood and fiberglass; removing rust from metal surfaces; shaping rubber surfaces.

Sander bands are easily replaceable on drums, and are available in packages of 6 each.



1/8"
3,2 mm

SANDING MANDREL – 26250301C, 26250302C

Resilient rubber sleeve forms around 4 tabs to keep accessory secure.

Contoured collar holds entire assembly in place.

Currently sold with one sanding band. More accessories to come!

SANDING DISCS – 26530301C, 26530302C, 26530325C

For rough shaping and smoothing wood and fiberglass; removing rust from metal surfaces; shaping rubber surfaces. Use 26530001, 26530002 and 26530003 with mandrel. 36 pieces per pack.

1/4" diameter

Grit:
60

120

240



26250301C

26230310C

26230300C



26230302C

1/2" diameter

Grit:
60

120

240



26250302C

26230305C

26230304C

26230354C

3/4" diameter

Grit: 180
Coarse

220
Medium

240
Fine




26530301C

26530302C

26530325C



CLAMSHELL



MISCELLANEOUS / MANDRELS AND COLLETS

Mandrels – 27230301C, 27240301C

2723001 mandrel is used primarily with felt polishing accessories.

2724001 mandrel is used primarily with cut-off wheels and wheels with pin hole.

DREMEL CHUCK – 50500301C

This chuck allows you to quickly and easily change accessories on Dremel Rotary Tools without changing collets. Accepts accessories with 1/32" - 1/8" shanks.

QUICK CHANGE COLLET NUT SET – 263401

Includes Collet Nut (26340005) and 4 Collets (2634001-2634004).

For use with all Rotary Tools . Collets and nut also available separately.



MISCELLANEOUS / OTHER

DRESSING STONE, 3/8" x 1" – 26330301C

Clean grinding wheels. Shape or reshape for desired applications.

Available as service part only

WRENCH – 26350301C

For ease of changing bits.



CLAMSHELL





MISCELLANEOUS / DRILL BITS

1/8" DRILL – 40020306C

1/32" DRILL – 40020301C Use with 26340304C collet.

3/64" DRILL – 40020302C Use with 26340303C collet

DRILL BIT SET

7pieces includes 1/32", 3/64", 1/16", 5/64", 3/32", 7/64", 1/8"

GLASS DRILLING BITS – 25400301C, 25400302C

Diamond tipped drill bits for use on glass and ceramic wall tile. Lubricant included. Use with collet.

DIAMOND DRILL FLIPBIT– 40020302C

Double end design lets you drill two hole sizes with one bit by simply flipping the bit over. Use on hard materials - glass, tile, stone, ceramics, and more.

1/32"
0,8 mm



40020301C

3/64"
1,2 mm



40020302C

1/16"
1,6 mm



40020303C

5/64"
2,0 mm



40020304C

3/32"
2,4 mm



40020305C

7/64"
2,8 mm



40020306C

1/8"
3,2 mm



40020307C

1/32"
0,8 mm



40020301C

3/64"
1,2 mm



40020302C

1/8"
3,2 mm



40020306C

1/8"
3,2 mm



25400301C

1/4"
6,4 mm



25400302C

1/16" & 3/32"
1,6 mm & 2,1 mm



25410301C




ROUTING / ROUTER BITS

ROUTER BITS


For routing, inlaying, and mortising in wood and other soft materials. Use with Router Attachment, Plunge Router Attachment, and Shaper/Router Table. Made of high speed steel.

3/32"
2,4 mm
Piloted
Beading



17140301C

1/8"
3,2 mm
Corner
Rounding




17130301C

1/2"
12,7 mm
Chamfer




17120301C

1/4"
6,4 mm
V-Groove




17060301C

1/8"
3,2 mm
Straight




17020301C

3/16"
4,8 mm
Straight



17020302C

1/4"
6,4 mm
Straight



17020303C



992202 / 420PCS ROTARY TOOL ACCESSORIES SET

420 accessories for cutting, grinding, grinding, carving, drilling, sanding, cleaning and polishing, deburring, engraving, sharpening, as well as many other applications.

Suitable for jade, ceramic, glass, wood, plastic products, hardened steel, cast iron, stainless steel, metal, micro electronic devices and fine detail processing and so on. Compatible with all rotary tool that accepts bits with 1/8-inch shanks.

Sturdy and durable toolbox easy for carrying and hanging.



CONTENTS:

<p>Miscellaneous</p> <p>Mandrels X3 Wrench Dressing Stone</p>				<p>Cleaning/ Polishing</p> <p>Bristle Brushes 3/4" 1/2" 1/8" Carbon Steel Brushes 3/4" 1/2" 1/8" Brass Brushes 3/4" 1/2" 1/8"</p>			
<p>Drill Bits Brass Collets</p> <p>1/16" 3/32" 1/8" 1/8" 3/32" 1/16" 1/32"</p>				<p>Felt Polishing Accessories Polishing Cloth Polishing Compound</p> <p>1/2" 3/8" 1" 1"</p>			
<p>Grinding/Sharpening</p> <p>Aluminum Oxide Grinding Stones 3/8" 3/8" 3/8" Silicon Carbide Grinding Stones 5/8" 13/32" 3/32" 1/2"</p>				<p>Sanding</p> <p>Sanding Bands 1/2" 1/4" Flap Wheel 3/8" Sanding Discs 90PCS X2</p>			
<p>Carving/Engraving</p> <p>High Speed Cutters Diamond Wheel Points</p> <p>1/8" 1/8" 1/8" 5/64" 11/64" 17/64" 3/32" 3/16" 5/64" 3/32"</p>				<p>Finishing Abrasive Buffs Drum Sander Mandrel</p> <p>80 Grit 280 Grit 320 Grit 1/2" 1/4"</p>			
<p>Cleaning/Polishing/Cutting</p> <p>Rubber Polishing Points 1/4" 1/4" Polishing Wheel CUT-OFF Wheels 40PCS X4</p>				<p>Grinding/Cutting</p> <p>Grinding Wheel X6 Grinding Wheel X6 Reinforced Cut-off Wheels X6 Diamond Wheel</p>			



Enjoy Work! Enjoy Life!

www.starcrafttools.com



Add: No. 880 Xingwen Road, Jiading, Shanghai, China
Tel: 0086-21-33517000, 33517100
Email: sales@starcraftgroup.com
Copyright © 2023