starcraft®

PROFESSIONAL TOOLS





MEASURING TOOL



7045 TAPE MEASURE



- High-impact ABS case.
- Compact housing,convenient to carry.
- Heat-treated spring provides longlife and smooth blade rewind.
- Strong metal belt clip for easy carrying.
- True zero movable end hook for accurate measurements.
- 8-foot standout for getting the tape measure exactly where you need it without bending or kinking in the middle of a job.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70450301H	3m/16mm	70459301H	10ft/5/8"
70450302H	5m/19mm	70459302H	16ft/3/4"
70450303H	5m/25mm	70459303H	16ft/1"
70450304H	7.5m/25mm	70459304H	25ft/1"
70450305H	8m/25mm	70459305H	26ft/1"
70450306H	10m/25mm	70459306H	33ft/1"



7046 TAPE MEASURE



- High-impact 2-color ABS case.
- Compact housing,convenient to carry.
- Heat-treated spring provides longlife and smooth blade rewind.
- Strong metal belt clip for easy carrying.
- True zero movable end hook for accurate measurements.
- Two stop buttons for easy retraction.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70460301H	3m/16mm	70469301H	10ft/5/8"
70460302H	5m/19mm	70469302H	16ft/3/4"
70460303H	5m/25mm	70469303H	16ft/1"
70460304H	7.5m/25mm	70469304H	25ft/1"
70460305H	8m/25mm	70469305H	26ft/1"
70460306H	10m/25mm	70469306H	33ft/1"



7047 TAPE MEASURE



- Co-molded rubber (bi-material)case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.
- True zero movable end hook for accurate measurements.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70470301H	3m/16mm	70479301H	10ft/5/8"
70470302H	5m/19mm	70479302H	16ft/3/4"
70470303H	5m/25mm	70479303H	16ft/1"
70470304H	7.5m/25mm	70479304H	25ft/1"
70470305H	8m/25mm	70479305H	26ft/1"
70470306H	10m/25mm	70479306H	33ft/1"



7048 TAPE MEASURE



- Co-molded rubber (bi-material) case for comfortable grip and
- durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying auto-lock.
- Extra large end hook grabs material on top or bottom and holds the metal tight while taking measurements.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70480301H	3m/16mm	70489301H	10ft/5/8"
70480302H	5m/19mm	70489302H	16ft/3/4"
70480303H	5m/25mm	70489303H	16ft/1"
70480304H	7.5m/25mm	70489304H	25ft/1"
70480305H	8m/25mm	70489305H	26ft/1"
70480306H	10m/25mm	70489306H	33ft/1"



7049 TAPE MEASURE



- Co-molded rubber (bi-material) case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.
- True zero movable end hook for accurate measurements.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70490301H	3m/16mm	70499301H	10ft/5/8"
70490302H	5m/19mm	70499302H	16ft/3/4"
70490303H	5m/25mm	70499303H	16ft/1"
70490304H	7.5m/25mm	70499304H	25ft/1"
70490305H	8m/25mm	70499305H	26ft/1"
70490306H	10m/25mm	70499306H	33ft/1"



7050 TAPE MEASURE



- Co-molded rubber (bi-material) case for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.
- True zero movable end hook for accurate measurements.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70500301H	3m/16mm	70509301H	10ft/5/8"
70500302H	5m/19mm	70509302H	16ft/3/4"
70500303H	5m/25mm	70509303H	16ft/1"
70500304H	7.5m/25mm	70509304H	25ft/1"
70500305H	8m/25mm	70509305H	26ft/1"
70500306H	10m/25mm	70509306H	33ft/1"



7051 TAPE MEASURE



PACKED IN
CLAMSHELL

- Co-molded rubber case (bi-material) for comfortable grip and durability.
- Heat-treated spring provides long life and smooth blade rewind.
- Dual-magnetic hook greatly enhances the stability of the blade and improves accuracy of inside and outside measurement.
- Strong metal belt clip for easy carrying.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70510301H	3m/16mm	70519301H	10ft/5/8"
70510302H	5m/19mm	70519302H	16ft/3/4"
70510303H	5m/25mm	70519303H	16ft/1"
70510304H	7.5m/25mm	70519304H	25ft/1"
70510305H	8m/25mm	70519305H	26ft/1"
70510306H	10m/25mm	70519306H	33ft/1"





7052 TAPE MEASURE



- Steel belt clip for convenience.
- Rubberized co-molded case for shock absorption and non-slip gripping.
- Nylon coated blades that resist abrasion and wear.
- 3 Rivet end hook provides a 40% stronger blade.
- Auto-lock mechanism locks the blade at desired length.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70520301HC	3m/16mm	70529301HC	10ft/5/8"
70520302HC	5m/19mm	70529302HC	16ft/3/4'
70520303HC	5m/25mm	70529303HC	16ft/1"
70520304HC	5.5m/25mm	70529304HC	18ft/1"
70520305HC	7.5m/25mm	70529305HC	25ft/1"
70520306HC	8m/25mm	70529306HC	26ft/1"
70520307HC	10m/25mm	70529307HC	33ft/1"





PACKED IN
PAPER HANGER

7055 ENCLOSED FIBERGLASS TAPE MEASURE



- Enclosed model for safety use.
- Non-conductive fiberglass tape is great for all job sites.
- Rubberized co-molded case for shock absorption and non-slip gripping.
- Tuck away handle for protection during storage.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70550301E	20m/13mm	70559301E	66ft/1/2"
70550302E	30m/13mm	70559302E	100ft/1/2"
70550303E	50m/13mm	70559303E	165ft/1/2"





PACKED IN
COLOR PAPER BOX

7056 FIBERGLASS OPEN REEL TAPE MEASURE



- Open 4-arm frame design protects the blade and does not trap dirt in the case.
- Light weight case for easy handling and transport.
- Large non-slip rubber handle with enclosed frames to protect the tape line.
- Long rewind handle with rotating knob makes tape rewinding smoother and easier.
- Positioning point makes accurate measurements easy.
- Long tapes are ideal for measuring long distances around your home or on the job.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70560301E	30m/15mm	70569301E	100ft/5/8"
70560302E	50m/16mm	70569302E	165ft/5/8"





PACKED IN
COLOR PAPER BOX

7057 TAPE MEASURE



- High-impact ABS case.
- Compact housing,convenient to carry.
- Heat-treated spring provides long life and smooth blade rewind.
- Strong metal belt clip for easy carrying.
- True zero movable end hook for accurate measurements. Super wear resistant blade stands up to the wear and tear of working on your projects.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70570301H	3m/16mm	70579301H	10ft/5/8"
70570302H	5m/19mm	70579302H	16ft/3/4"
70570303H	5m/25mm	70579303H	16ft/1"
70570304H	7.5m/25mm	70579304H	25ft/1"
70570305H	8m/25mm	70579305H	26ft/1"
70570306H	10m/25mm	70579306H	33ft/1"



7053 2 in 1 LASER TAPE





PACKED IN
COLOR PAPER BOX





- Steel belt clip for convenient carrying.
- Rubberized co-molded case for shock absorption and non-slip gripping.
- Nylon coated blades that resist abrasion and wear.
- Dual-magnetic hook greatly enhances the stability of the blade and improves accuracy of inside and outside measurement.
- Auto-lock mechanism holds the blade at desired length.
  2xAAA alkaline battery.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70530301E	5m/19mm	70539301E	16ft/3/4"

PARAMETER	
The Max Measuring Range	0.2-40m
Measurement Accuracy	±(3+5*10^{-5D})mm
Measurement Unit	m/ft
Laser Class	Class 2
Laser Type	630-670nm,<1mW
Display	LCD
Baseline	Back
Auto Laser Off	45"
Buzzer	√
Button	√
Operation Temperature	-10℃~40℃
Storage Temperature	-20°C~60°C
Battery Type	AA 2X1.5V
Auto Laser Off	30"
Dimensions(Mm)	86/50/80mm
Weight	305g

7054 2 in 1 LASER TAPE





PACKED IN
COLOR PAPER BOX





- Steel belt clip for convenient carrying.
- Rubberized co-molded case for shock absorption and non-slip gripping.
- Nylon coated blades that resist abrasion and wear.
- Dual-magnetic hook greatly enhances the stability of the blade and improves accuracy of inside and outside measurement.
- Rechargeable lithium battery.
- Auto-lock mechanism holds the blade at desired length.

ITEM NO.	METRIC (Length/Width)	ITEM NO.	INCH (Length/Width)
70540301E	5m/19mm	70549301E	16ft/3/4"

PARAMETER	
The Max Measuring Range	0.2-40m
Measurement Accuracy	±(3+5*10^{-5D})mm
Measurement Unit	m/ft
Laser Class	Class 2
Laser Type	630-670nm,<1mW
Display	LCD
Baseline	Back
Auto Laser Off	45"
Buzzer	√
Button	√
Operation Temperature	-10℃~40℃
Storage Temperature	-20°C~60°C
Battery Type	USB type-C
Auto Laser Off	30"
Dimensions(Mm)	82/47/72mm
Weight	285g

7044 TORPEDO SPIRIT LEVEL





- Accuracy: 1mm/m.
- 3 vials - plumb, level and 45°.
- High impact ABS plastic with a top reading.
- V-Groove working edge for accurate alignment on pipe or conduit.
- Magnetic strip edge.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70440301E	225	9"



7058 I-BEAM SPIRIT LEVEL





- Accuracy: +/- 1mm/m.
- 3 vials: horizontal and vertical.
- Metric/imperial rule on top edge.
- All metal I-Beam frame offers superior durability and protects long-life accuracy.
- Top read window provides clear overhead viewing.
- Impact resistant endcaps protect frame and vials.
- Milled face for maximum flatness and high accuracy.
- Magnetic strip for hands-free leveling of metal or piping.
- Hang holes for easy storage.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70580301E	400	16"
70580302E	600	24"
70580303E	800	32"
70580304E	1000	40"
70580305E	1200	48"
70580306E	1500	60"
70580307E	1800	72"
70580308E	2000	80"

7059 EXTENDABLE LEVEL





- Accuracy: +/- 1mm/m.
- 3 vials - plumb, level and 45°.
- Extendable spirit level that can be adjusted to the required length.
- Cover any length from 96 cm - 160 cm(38-63 inch).
- Milled measuring surface for maximum flatness and high accuracy in all working positions.
- Impact resistant endcaps protect frame and vials.
- Hang holes for easy storage.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70590301E	460-600	1-13/16 -2-3/8"
70590302E	560-600	2-13/16"-2-3/8"
70590303E	760-1200	30"-48"
70590304E	960-1600	3-13/16"-6-5/16"

7060 DIGITAL SPIRIT LEVEL





- Illuminated digital display.
- Digital readout for accurate results.
- Vial measurement accuracy: +/- 0.5mm/m.
- 2 vials - plumb and level.
- Lightweight and robust aluminium frame
- 2 milled measuring surface for maximum flatness and high accuracy in all working positions.
- Hand grip ideal for carrying and vertical levelling.
- Impact resistantendcaps protect frame and vials.
- Hang holes for easy storage.
- 2xAAA Alkaline batteries included.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70600301E	400	16"
70600302E	600	24"
70600303E	800	32"
70600304E	1000	40"
70600305E	1200	48"
70600306E	1500	60"
70600307E	1800	72"
70600308E	2000	80"

7061 BOX SPIRIT LEVEL





- Accuracy: +/- 0.5mm/m.
- 3 vials- plumb, level and 45°.
- Lightweight and robust aluminium frame
- Milled measuring surfacefor maximum flatnessand highaccuracyin all working positions.
- V groove for pipe work.
- Dual hand grips ideal for carrying and vertical levelling.
- Impact resistantendcaps protect frameand vials.
- Hang holes for easystorage.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70610301E	600	24"
70610302E	800	32"
70610303E	1000	40"
70610304E	1200	48"
70610305E	1500	60"
70610306E	1800	72"
70610307E	2000	80"

7062 BOX SPIRIT LEVEL





- Accuracy: +/- 0.5mm/m.
- 3 vials - plumb, level and 45°.
- Lightweight and robust aluminum frame
- 2 milled measuring surface for maximum flatness and high accuracy in all working positions.
- Hand grip ideal for carrying and vertical leveling.
- Impact resistant end caps protect frame and vials.
- Hang holes for easy storage.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70620301E	400	16"
70620302E	600	24"
70620303E	800	32"
70620304E	1000	40"
70620305E	1200	48"
70620306E	1500	60"
70620307E	1800	72"
70620308E	2000	80"

7064 TORPEDO SPIRIT LEVEL



- Accuracy: +/- 1mm/m.
- 2 vials: horizontal and vertical.
- Durable and strong die-cast aluminum construction.
- Milled face for maximum flatness and high accura-
- cy.
  2 large magnets twice as strong as basic strip for
- hands-free leveling of metal or piping.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70640301E	230	9"



7065 POST SPIRIT LEVEL





PACKED IN
PAPER HANGER

- Compact size with 3 easy to read vials
- Durable molded plastic frame.
- Rubber strap fro hands-free workand non-magnetic surfaces.
- Powerful magnetic strips for metal attachment.

ITEM NO.	SIZE (MM)	SIZE (INCH)
70650301E	415	16-3/8"







Add:No.880 Xingwen Road; Jiading District, Shanghai, China
Tel:0086-21-33517000
Email:sales@starcraftgroup.com
Copyright©2026