starcraft®

PROFESSIONAL TOOLS



LINEAR EDGE CUTTING BLADE

CHOOSE THE JIGSAW BLADE

TYPE OF SHANK

There are two types of shanks which are available in the market for jigsaw blades.



T-Shank Blades

T-shank blade are the most wide used type and are compatible with the majority of brand jigsaws: Bosch, AEG, Dewalt, ELU, Hitachi, Makita, Metabo, Milwaukee and others.



U-Shank Blades

U-shank blade are characterised by the U-shaped cout at the top of their shank. They are suitable for jig saws from Black & Decker, Skil and others.



INDIVIDUAL PACKAGE DISPLAY
PACKED IN BLISTER CARD



INDIVIDUAL PACKAGE DISPLAY
PACKED IN PAPER CARD

JIGSAW BLADE MATERIAL

The material out of which a jigsaw blade is made will affect both its durability and the materials it can be used to cut.



High Carbon Steel (HCS)

High carbon steel blades are flexibe, which can lead to them wandering off course, and they tend to become dull more quickly than other types of blade, mainly for timber cutting.



High Speed Steel (HSS)

Blades made of high speed steel are harder and more durable but are not as flexible as high carbon steel blades. They are also more likely to become damaged by heat. Blades are for cutting hardwoods, metals or plastic.



Bi-metal

Bi-metal blades have bodies made of carbon steel and high speed steel teeth. Because they are made of two type of steel,they have the advantageous properties of both flexibility and wear-resistance. Blades are usually used for heavy-duty cutting in timber with nails, steel and non-ferrous metals.



Tungsten Carbide

Tungsten carbide blades have the greatest heat resistance and are more durable than the other types of blade. This is mainly because,instead of having teeth,their cutting edge is coated in a tungsten carbide grit. Blades are for fibre glass & ceramics.



Diamond Grit

The diamond grit blade can be used on the same applications as carbide grit, but has a much longer life. Also, for use on hard porcelain tile,granite, slate, marble and other stone.

1300 JIASAW BLADES FOR WOOD

13000201S2
13000201S5

T101B



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	10	Taper Ground	HCS-65Mn

Optimised for curved cuts inthin wooden materials with2-15mm thickness.

13000202S5

T101D



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	6	Taper Ground	HCS

Straight, clean cuts in Hard/soft woods, plywood, OSB,plastics 1/4"–2-3/8" (6-60mm)

13000203S2
13000203S5

T111C



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	8	Milled,Side Set	HCS

Ideal for jig saws without orbital action.Fast, coarse cuts in Soft wood, OSB, plywood 7/32"–2-3/8" (5.5-60mm)

13000204S5

T119B



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3"|76mm	12	Milled,Wavy	HCS

For Basic Cuts in Soft Woods (2-15 mm), Plywood Chipboards, Fibre Boards.

13000205S5

T119BO



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3"|76mm	12	Wavy	HCS

Optimised for curved cuts inthin wooden materials with 2-15mm thickness.

13000206S2
13000206S5

T144D



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	6	Side Set,Ground	HCS

Straight and fast cuts in Hard/soft woods, OSB, plywood 1/4"–2-3/8"(6-60mm)

13000207S2
13000207S5

T244D



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	6	Side Set,Ground	HCS

Scroll blade for curved and fast cuts in Hard/soft woods, OSB, plywood 1/4"–2-3/8"(6-60mm)

13000208S5

T344D



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
6"|152mm	6	Side Set,Ground	HCS

Fast straight cuts in wooden materials of up to 100mm thickness.

13000209S5

T101BR



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	10	Taper Ground	HCS

Clean straight cuts in woodworking materialswith 3-30 mm thickness.Reverse tooth design cuts tear -free at the top surface.

1300 JIASAW BLADES FOR WOOD

13000314D2 **T308B**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4-5/8"|117mm	12	Taper Ground	HCS

Xtra-clean straight cut in wood, laminated particle board,MDF.

13000210S5 **T234X**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4-5/8"|117mm	8/12	Taper Ground	HCS

Straight, fine cuts in Hard/soft woods, plywood, plastics, OSB, laminated particle board 3/16"–1-1/4"(5-32mm)

13000211S5 **T101AO**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3-1/4"|83mm	20	Taper Ground	HCS

Curved and splinter-free cuts on both sides of surface of Double-sided laminates,laminated particle board, MDF, hard/soft woods, plywood 5/64"–3/4" (2-19mm)

1321 JIASAW BLADES FOR WOOD W/NAILS

13210301D



OVERALL LENGTH	TEETH PER INCH(TPI)	BLADE MATERIAL
5-1/8"|130mm	6	Carbide tipped

Nail embedded wood, clean wood,metal 5-9mm,PVC and plastics.

1301/6 JIASAW BLADES FOR METAL

13010301S2
13010301S5 **T118AF**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	21	Milled,Side Set	Bi-metal

Straight cuts in Sheet metal 10–16 gauge, thin metals 1/16"–1/8" (1.5-3.2mm) (ferrous and non-ferrous)

13010302S5 **T118B**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	12	Wavy	HSS

Straight cuts in Medium-thin metals 1/8"–1/4" (3.2-6.5mm) (ferrous and non-ferrous)

13010303S5 **T318A**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
5-1/4"|133mm	24	Side Set,Ground	HSS

Straight cuts in Pipes, profiles and sheet metal10–16 gauge, thin metals 1/16"– 1/8" (ferrous and non-ferrous), pipes less than 2-1/2" diameter,tube stock, angle iron

13060301S2 **T118EHM**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3"|76mm	22	Ground	Carbide strip

Carbide Edge for Stainless Steel. Straight cuts in Stainless steel 5/64"–3/16" (2-5mm), steel and non-ferrous metals 5/64"–7/32" (2-5.5mm)

1302/6 JIASAW BLADES FOR METAL

13010304S5 T123X



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	9/21	Side Set,Ground	HSS

Straight cuts in Pipes, profiles and sheet metal10–16 gauge, thin metals 1/16"– 1/8" (ferrous and non-ferrous), pipes less than 2-1/2" diameter,tube stock, angle iron

13060302D T118EHM



OVERALL LENGTH	TEETH PER INCH(TPI)	BLADE MATERIAL
3"|76mm	18Tpi	Carbide strip

Straight cuts in medium metal 1.5–3.2mm,and stainless steel.

13020301S5 T118EF



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	14/18	Side Set,Ground	BI-Metal

Straight cuts in Medium-thin metals 5/64"–7/32" (2-5.5mm) (ferrous and non-ferrous)

13020302S5 T127DF



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	8	Side Set,Ground	BI-Metal

Fast, straight cuts in Aluminum 3/16"–5/8", fiberglass 3/16"–3/4", plastic 3/16"–1-1/4"

13020303S5 T345XF



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
5-1/4"|133mm	5/10	Milled,Side Set	HSS

Fast cuts in Thick and thin materials like wood with nails, plywood, particle board 3/16"–3-5/8", metal 3/16"–3/8", non-ferrous metal and aluminum 5/64"–1-1/4"

13020313D2 T123XF



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	10/24	Milled,Side Set	HSS

Fast straight cuts in thin to thick sheet metals (1.5-10 mm), pipes + profiles, including aluminium (diameter <30 mm).

13020314D2 T127D



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	8	Milled,Side Set	HSS

Fast cuts in aluminium sheets (3-15 mm thickness), aluminium pipes and profiles up to 30mm diameter.

13020315D2 T118A



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3-5/8"|92mm	24	Milled,wavy Set	HSS

Straight cuts in Sheet metal 10–16 gauge, thin metals 1/16"–1/8" (1.5-3.2mm) (ferrous and non-ferrous)

13020316D2 T118G



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3-5/8"|92mm	36	Milled,wavy Set	HSS

Straight cuts in sheet metal 17–26 gauge, thin metals 1/64"–3/64" (0.5-1.5mm) (ferrous and non-ferrous).

1302 / JIASAW BLADES FOR WOOD

13020310D2 **T101AOF**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3"|76mm	18	Taper Ground	BI-Metal

Clean curved cut in laminates and laminated panels (1.5-15mm).

13020312D2 **T101BIF**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	14	Taper Ground	HSS

Straight and clean cut in hardwood (2-30mm), laminates and laminated panels(1.5-15mm).

13010313D2 **T227D**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	8	Milled,Side Set	HSS

Fast curved cuts in aluminium sheets (3-15mm thick) and aluminium pipes and profiles up to 30mm diameter.

13020309D2 **T308BF**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4-5/8"|117mm	12	Taper Ground	BI-Metal

2-side clean tear-free cut in hardwood, laminated particle board,MDF (5-50mm).

13020306D2 **T144DF**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	6	Ground,Side Set	BI-Metal

Designed for straight and very fast cuts in hardwood, OSB and plywood 6-35mm(1/4 In. to 2-3/8 In.)thick.

13020307D2 **T101BRF**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	10	Taper Ground	BI-Metal

Reverse-tooth design for tear-free cuts at the top surface; Straight clean cut In hardwood,Laminated panels (3-30 mm), kitchen worktops (3-45 mm).

13020308D2 **T101BF**



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	10	Taper Ground	BI-Metal

Straight clean cut in hardwood, laminated panels/ HPL (3-30 mm), plastics/epoxy (diameter <30 mm)

JIASAW BLADES FOR SPECIALITY

13220301N **T313AW**



OVERALL LENGTH	TOOTH SHAPE	BLADE MATERIAL
6"|150mm	Serrated Edge	HCS

-Blade with serrated edge designed for precision cutting soft materials such as rubber, cardboard and leather.
-Serrated knife edge ensures clean cuts in soft, non-abrasive materials.
-Fits all T-shank jigsaws.

JIASAW BLADES FOR SPECIALITY

13000326D2 T102H



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
4"|100mm	10	Taper Ground	HCS

Straight, clean cuts in PVC,PA, PS sheets 3-30mm thickness, profiles, bars.

13020317D2 T102BF



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH SHAPE	BLADE MATERIAL
3-5/8"|92mm	14	Taper Ground	BI-Metal

Straight clean cut in PMMA sheets with 2-20mm thickness.

13040301S2 T130RF



OVERALL LENGTH	TEETH PER INCH(TPI)	BLADE MATERIAL
3-1/4"|83mm	30Grit	Carbide

Precise, cut-outs in soft ceramic wall tiles between 5 and 10 mm thick.


13050301S2 T130DG



OVERALL LENGTH	TEETH PER INCH(TPI)	BLADE MATERIAL
3-1/4"|83mm	30Grit	Diamond

Diamond for Hard Tile. Clean cuts in Grade 5 porcelain, granite, marble, slate, glass and cement board 3/64"–1/2" (1-13mm)

Description	Includes	Part No.
 5 Piece Jigsaw Blade Set in paper case	1x T127D 4 in. 8TPI For fast,straight cuts in aluminum, 1x T118A 3-5/8 in. 24TPI For straight cuts in sheet metal; 1x T118B 3-5/8 in. 12TPI For straight cuts in medium to thin metals; 1x T118G 3-5/8 in. 12TPI For straight cuts in sheet metal; 1x T227D 4 in. 8TPI For fast,straight or curved cuts inaluminum.	990307
 5 Piece Jigsaw Blade Set in paper case	1x 111C 4 in. 8TPI For straight fast cuts in soft wood, OSBand plywood , 1x T101B 4 in. 10TPI For straight clean cuts in hard and softwood, plywood, plastics, OSB, laminatedparticle board; 1x T101AO 3in. 20TPI For clean curved cuts in Softwood.plywood, laminated panels; 1x T144DF 4 in. 6TPI For straight and very fast cuts inhardwood, OSB and plywood; 1x T101BF 4 in. 10TPI For clean, straight cuts in hardwood,OSBand plywood.	990308
 10 Piece Jigsaw Blade Set in plastic case	2x 3" x 24TPI bi-metal milled wavy blade for cuts in metal of medium thickness-T118A; 2x 3" x 14TPI high carbon steel ground taper blade for clean, reverse cuts in woodαT119BO; 3x 4" x 8TPI high carbon steel milled side-set blade –T111C-wood; 3x 4"x 6TPI high carbon steel ground side-set blade –T144D-wood.	990306
 15 Piece Jigsaw Blade Set in plastic case	2x T101BR 4 in. 10TPI high carbon steel ground taper blade for clean, reverse cuts in wood, 2x T101B 4 in. 10TPI high carbon steel ground taper blade for clean cuts in wood; 2x T101D 4 in. 6TPI high carbon steel ground taper blade for clean, fast cuts in wood; 1x T111C 4 in. 8TPI high carbon steel milled side-set blade for rough, fast cuts in wood; 1x T144D 4 in. 6TPI high carbon steel ground side-set blade for fast cuts in wood; 1x T101AO 3 in. 20TPI high carbon steel ground taper blade for clean, scrolling cuts in wood; 2x T118A 3 in. 21TPI bi-metal milled wavy blade for cuts in metal of medium thickness; 2x T118B 3 in. 12TPI bi-metal milled wavy blade for cuts in thick metal; 1x T345XF 5-1/4 in.5-10TPI progressive tooth bi-metal milled side-set all purpose blade.	990304

Description	Includes	Part No.
 5pc jigsaw blades in plastic case	**2x** T101B,HCS,for Wood,100mm x 8-10TPI, **1x** T123X,HSS,for Metal,100mm x 10-21 TPI; **1x** T127D,HSS,for Universal,100mm x8TPI; **1x** T101BIF,Bi-Metal,for Laminate,82mm x 15TPI.	990303
 10pc jigsaw blades in clamshell with 2-sided storage case	**4x** T101B,HCS:for Wood:100mmx10TPI, **2x** T1123X,HSS,for Metal,100mm x 10-21TPI; **2x** T127D,HSS,for Universal,100mmx8TPI; **2x** T101BIF,Bi-Metal,for Metal & Wood,82mmx15TPI.	990302
 10pc jigsaw blades in clamshell with 2-sided storage case	**2x** T111C 100mmx 8tpi for wood, **2x** T144D 100mm x 6tpi for wood; **2x** T101BRF 100mm x 10tpi for wood; **2x** T118A 76mm x 24tpi for metal; **2x** T118B 76mm x 12tpi for metal.	990301
 10pc jigsaw blades in clamshell with 2-sided storage case	**2x** T111C,HCS,for Wood,100mm x 8TPI, **2x** T101D,HCS,for Wood,100mm x 6TPI ; **2x** T119BO,HCS,for Wood,76mmx12TPI ; **2x** T101AO,HCS,for wood,76mm x 20TPI; **2x** T144D, HCS,for Wood,100mm x 14TPI.	130099
 30 Piece Jigsaw Blade Set in clamshell	**1x** 3" 50 grit carbide grit blade-T130RIFF, **1x** 6"x 6TPI bi-metal ground side-set blade-T344DF-wood; **1x** 5-1/4" progressive tooth bi-metal milled side-set all purpose blade-T345XF-wood; **1x** 4"x 14TPI bi-metal milled taper blade-T101A-metal; **1x** 4"x 16TPI bi-metal ground taper blade –T101AIF-wood; **1x** 4"x 8TPI bi-metal milled side-set blade –T127D-aluminum metal; **1x** 3"x 18TPI bi-metal milled wavy blade-T118EOF-metal; **2x** 3"x 36TPI bi-metal milled wavy blade –T118G-metal; **3x** 3"x 21TPI bi-metal milled wavy blade –T118A-metal; **2x** 3"x 12TPI bi-metal milled wavy blade-T118B- metal; **2x** 4"x 6TPI high carbon steel ground taper blade-T101D-wood; **3x** 4"x 10TPI high carbon steel ground taper blade –T101BR-wood; **3x** 4"x 10TPI high carbon steel ground taper blade –T101B-wood; **3x** 4"x 6TPI high carbon steel ground side-set blade –T144D-wood; **3x** 4"x 8TPI high carbon steel milled side-set blade –T111C-wood; **2x** 3"x 20TPI high carbon steel ground taper blade-T101AO -wood.	990305

CHOOSE THE RECIP SAW BLADES

starcraft®

SELECT PROPER BLADE SHAPE



Scroll for cutting curved or circular shapes



Straight for edge cutting



Sloped for plunge cutting

Different Blade Materials Available:

- HCS - High-alloy carbon steel - mainly for timber cutting
- HSS - High Speed Steel - for steel and non-ferrous metals
- Bi-Metal – HSS (M2,M3 or M42) tooth area and teeth, HCS back for flexibility for timber with nails, steel and non-ferrous metals
  Carbide Grit - Tungsten carbide grit - for fiber glass & ceramics
- Diamond Grit- The diamond grit blade can be used on the same applications as carbide grit, but has a much longer life. Also, for use on hard porcelain
- tile, granite, slate, marble and other stone.
  Tungsten Carbide Tipped - for cutting very hard or dense materials such as glass fiber reinforced plastic, cement-bonded fiberboards or plaster-
- board,nail-embedded wood,high-strength alloys, cast iron, and stainless steel,concrete brick and blocks,etc.

MATERIAL TO BE CUT

Wood & Plastics



Wood with Nails



Metal



Demolition







INDIVIDUAL PACKAGE DISPLAY PACKED IN BLISTER CARD



INDIVIDUAL PACKAGE DISPLAY PACKED IN PAPER CARD

1411 RECIPROCATING BLADES FOR PRUNING

14110205E3



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
300x28x1.3mm 12"x1.12"x0.051"	6	Sharp Ground	HCS

-Ideal for Pruning and fast clean wood cutting.
-Curved profile design provide better leverage and smooth cuts in thick branches.
-Ground sharp teeth for super fast cutting in wood materials.

14110206E3



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
380x35x1.3mm 15"x1.37"x0.051"	6	Sharp Ground	HCS

-Ideal for Pruning and fast clean wood cutting.
-Curved profile design provide better leverage and smooth cuts in thick branches.
-Ground sharp teeth for super fast cutting in wood materials.

1400 RECIPROCATING BLADES FOR PRUNING

14000201S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x19x1.25mm 6″x0.75″x0.05″	4/5	Fleam Grind	High carbon steel 65Mn

Ideal for Pruning

14000202S5
14000202D2



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
240x19x1.25mm 9-1/2″x0.75″x0.05″	4/5	Fleam Grind	High carbon steel

Ideal for Pruning

14000203S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
300x19x1.25mm 12″x0.75″x0.05″	4/5	Fleam Grind	High carbon steel

Ideal for Pruning

1402 RECIPROCATING BLADES FOR NAIL-EMBEDDED WOOD

14020301S2
14020301S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x22x1.25mm 6″x0.875″x0.05″	10	Milled, side set	Bi-metal

Nail-embedded wood, metal & plastics

14020302S2
14020302S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x22x1.25mm 9″x0.875″x0.05″	10	Milled, side set	Bi-metal

Nail-embedded wood, metal & plastics

14020303S2
14020303S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
300x22x1.25mm 12″x0.875″x0.05″	10	Milled, side set	Bi-metal

Nail-embedded wood, metal & plastics

14020264B25



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x19x0.92mm 9″x0.75″x0.036″	10-14	Milled, side set	Bi-metal

Pallet dismantling

14020304S2
14020304S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x19x1mm 6″x0.75″x0.039″	10	Milled, side set	Bi-metal

Pallet dismantling

14020305S2
14020305S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x19x1mm 9″x0.75″x0.039″	10	Milled, side set	Bi-metal

Pallet dismantling

1402 RECIPROCATING BLADES FOR NAIL-EMBEDDED WOOD

14020306S2
14020306S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
300x19x1mm 12″x0.75″x0.035″	10	Milled, side set	Bi-metal

Pallet dismantling

14020307S2
14020307S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x19x1.3mm 6″x0.75″x0.05″	6	Milled, side set	Bi-metal

Wood w/nails

14020308S2
14020308S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x19x1.3mm 9″x0.75″x0.05″	6	Milled, side set	Bi-metal

Wood w/nails

14020309S2
14020309S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
300x19x1.3mm 12″x0.75″x0.05″	6	Milled, side set	Bi-metal

Wood w/nails

1402 RECIPROCATING BLADES FOR METAL

14020310S2
14020310S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
92x6.35x0.9mm 3-5/8″x0.25″x0.035″	18	Milled, side set	Bi-metal

Medium Metal, Scroll Cut

14020311S2
14020311S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
100x19x0.9mm 4″x0.75″x0.035″	18	Milled, side set	Bi-metal

Medium Metal

14090304D



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
100x19x0.9mm 4″x0.75″x0.035″	18	Ground	Carbide strip

Medium Metal 1.5-3mm(1/16"-1/8")

14090305D



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x19x0.9mm 6″x0.75″x0.035″	16	Milled, side set	Bi-metal

Medium Metal

14020312S2
14020312S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x19x0.9mm 6″x0.75″x0.035″	18	Ground	Carbide strip

Medium Metal 1.5-3mm(1/16"-1/8")

14020313S2
14020313S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x19x0.9mm 6″x0.75″x0.035″	24	Milled, side set	Bi-metal

Thin Metal

1402 RECIPROCATING BLADES FOR METAL

14020314S2
14020314S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
200x19x0.9mm 8" x0.75"x0.035"	18	Milled, side set	Bi-metal

Medium Metal

14020315S2
14020315S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x25.4x1.1mm 9"x1"x0.043"	12	Milled, side set	Bi-metal

Metal, Tough Cut

14020316S2
14020316S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x25.4x1.1mm 9"x1"x0.043"	16	Milled, side set	Bi-metal

Metal, Tough Cut

14020317S2
14020317S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
150x19x0.9mm 6"x0.75"x0.035"	14	Milled, side set	Bi-metal

Thick Metal

14020318S2
14020318S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x19x0.9mm 9"x0.75"x0.035"	14	Milled, side set	Bi-metal

Thick Metal

14020319S2
14020319S5



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
300x19x0.9mm 12"x0.75"x0.035"	14	Milled, side set	Bi-metal

Thick Metal

14020327B25 (12T)
14020328B25 (18T)
14020329B25 (24T)



25pcs



14020330B25 (12T)
14020331B25 (18T)
14020332B25 (24T)

25pcs

1400/1402 RECIPROCATING BLADES FOR WOOD

14020337D2



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
150x25.4x1.25mm 6″x1″x0.05″	10	Milled, Side set	Bi-metal

Cut soft nails,mild steel,and non-ferrous metal,nail embedded wood.

14000213D2



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
200x19x1.3mm 8"x0.75"x0.05"	6-10	Ground	HCS

Ideal for clean and effortless smooth cut in thin and thick wood products

14000214D2



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
150x25.4x1.25mm 6″x1″x0.05″	6	Ground	HCS

Clean curved and plunge cuts in construction wood

1402 RECIPROCATING BLADES FOR DEMOLITION

14020322S2
14020322S5



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
228x22x1.6mm 9"x0.875"x0.062"	6	Milled Side set	Bi-metal

Demolition， cut through all types of wood, wood composites,and nail embedded wood.

14020320S2
14020320S5



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x22x1.6mm 9"x0.875"x0.062"	10	Milled, side set	Bi-metal

Demolition， cut through all types of wood, wood composites,metal and nail embedded wood

14020321S2
14020321S5



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
200x19x1.3mm 8"x0.75"x0.05"	10/14	Milled, side set	Bi-metal

Fire and Rescue (wood w/nails,metal)

14020323S2
14020323S5



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
300x19x1.3mm 12"x0.75"x0.05"	10/14	Milled, side set	Bi-metal

Fire and Rescue (wood w/nails,metal)


14020346D2



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
150x25.4x1.25mm 6″x1″x0.05″	6	Milled	Bi-metal

Demolition， cut through all types of wood, wood composites,and nail embedded wood.

CARBIDE TIPPED RECIPROCATING SAW BLADE







Available in 6"、9"&12" lengths

Various TPI available for different applications:

2 TPI for cutting brick and block
3 TPI for clean wood and pruning cut
6 TPI for cutting nail-embedded wood
8 TPI for cutting chick metals(3/16"/9/16")

1407 RECIPROCATING BLADES FOR SPECIALITY

14070306D2



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
240x19x1.3mm 9-1/2"x0.75"x0.05"	2TPI	Thin Kerf	Carbide tipped

cutting hollow brickof thickness of 150mm.

1406 RECIPROCATING BLADES FOR PRUNING & NAIL-EMBEDDED WOOD

14060308N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
152x25.4x1.3mm 6"x1x0.05"	3	Ground	Carbide tipped

Clean wood and pruning

14060309N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
228x25.4x1.3mm 9"x1"x0.05"	3	Ground	Carbide tipped

Clean wood and pruning

14060310N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
304x25.4x1.3mm 12"x1"x0.05"	3	Ground	Carbide tipped

Clean wood and pruning

14060311N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
152x25.4x1.25mm 6"x1"x0.05"	6	Ground	Carbide tipped

Wood w/nails

14060312N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
228x25.4x1.25mm 12"x1"x0.05"	6	Ground	Carbide tipped

Wood w/nails

14060313N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
304x25.4x1.25mm 12"x1"x0.05"	6	Ground	Carbide tipped

Wood w/nails

1406 RECIPROCATING BLADES FOR METAL

14060314N
14060414N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
152x19x1.3mm 6"x0.75"x0.05"	8	Ground	Carbide tipped

Thick metals (3/16" to 9/16")

14060315N
14060415N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
228x19x1.3mm 9"x0.75"x0.05"	8	Ground	Carbide tipped

Thick metals (3/16" to 9/16")

14060316N
14060416N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
304x19x1.25mm 12"x0.75x0.05"	8	Ground	Carbide tipped

Thick metals (3/16" to 9/16")

BI-METAL CURVED EDGE RECIPROCATING SAW BLADE

For Superior Performance In All Applications


Rigid Blade Body
0.9-1.6mm(0.035"-0.063") thick produces superior cutting performance

UV Printing
For easy identification with application

1/2"Universal Shank
Fit all standard reciprocating saw brands

14 Teeth

Curved Edge Design
Delivers up to 2x longer life than traditional straight reciprocating blades.



Applications:

For crimping round metal pipe to create a male fitting end.
Available for wood,metal,demolition,and extreme heavy metal cutting applications.

Available in 6"、9"、12" lengths.





1411 RECIPROCATING BLADES FOR WOOD & METAL

14110303D



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
200x19x1.25mm 8"x0.75x0.05"	14	Milled, side set	Bi-metal

Thick to medium metals

14110301D



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
200x19x1.25mm 8"x0.75x0.05"	10/14	Milled, side set	Bi-metal

wood w/nails & metals

14110304D



LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
250x19x1.25mm 10"x0.75x0.05"	14	Milled, side set	Bi-metal

Thick to medium metals

14110302D




LENGTH*WIDTH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
250x19x1.25mm 10"x0.75x0.05"	10/14	Milled, side set	Bi-metal

wood w/nails & metals

RECIPROCATING BLADES FOR SPECIALITY

14060317E2



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
304x51x1.5mm 12″x2″x0.06″	2	Ground	Carbide tipped

For brick and block

14060318E2



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
457x51x1.5mm 18″x2″x0.06″	2	Ground	Carbide tipped

For brick and block

14040301N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
152x19x1.3mm 6″x0.75″x0.05″	-	Thin Kerf	Carbide grit 30

For tile,plaster,porous concrete


14040302N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	TOOTH MATERIAL
228x19x1.3mm 9″x0.75″x0.05″	-	Thin Kerf	Carbide grit 30

For tile,plaster,porous concrete

14050308N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
152x19x1.3mm 6″x0.75″x0.05″	-	Thin Kerf	Diamond grit 30

For Cast Iron, fiber cement, masonry, & fiberglass

14050305N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
228x19x1.3mm 9″x0.75″x0.05″	-	Thin Kerf	Diamond grit 30

For Cast Iron, fiber cement, masonry, & fiberglass

14130301N



LENGTH*WID-TH*THICKNESS	TOOTH DESIGN	BLADE MATERIAL
150 6″	Knife Edge	HCS

Blade with knife cutting edge designed for clean cuts in soft materials,eg rubber, leather, cardboard, and carpet.Blade with knife cutting edge designed for clean cuts in soft materials,eg rubber, leather, cardboard, and carpet.

14120301N



LENGTH*WID-TH*THICKNESS	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
304x19x1.3mm 12″x0.75″x0.05″	3T	Milled Teeth	Stainless Steel

Stainless steel blade for perfect use in avariety of applications including food and meat processing,ice block cutting,etc.



RECIPROCATING SAW BLADES
SETS

Description	Includes	Part No.
 4pcs Oscillating saw blade set in trapped blister card	**1x** Crv,for Drywall,150mm x8TPI, **1x** Bi-Metal,for Metal,150mm x18TPI; **1x** HCS,for Wood & Plastic,150mmx 16TPI. **1x** Rubber handle	990206
 6pc Reciprocating saw blades in clamshell with adjustable storage case	**2x** S644D,HCS,for Wood,152mm x6TPI, **2x** S611DF,Bi-Metal,for Wood w/Nails,152mm x6TPI; **2x** S2345X,HCS,for Wood,203mmx 6-10TPI.	990201
 6pc Reciprocating saw blades in clamshell with adjustable storage case	**2x** S345XF BLADE, Bi-Metal,for Universal,152mm x 6-11TPI, **2x** S1122BF BLADE,Bi-Metal,for Metal,228mm x 14TPI; **2x** S1122EF BLADE,Bi-Metal,for Metal,228x18TPI.	990202
 15pcs Sabre Saw Blade Set in clamshell or trapped blister card	**3x** S811H Blades: For coarse wood, free of nails, pruning green wood, **3x** S617K Blades: For coarse wood, free of nails, pruning green wood and for performing curved cuts/plunge cuts; **3x** S1531L Blades: For coarse fast cuts in wood and tree cutting and pruning; **3x** S1118BF Blades: For pallet repair, with nails/metal, sheet metal, pipes, aluminium profiles provide a flexible flush cut; **3x** S1411D Blades: For the fast cutting of coarse wood wooden panels, boards, plywood, plastic, pruning green wood.	990203
 10 Piece Sabre Saw Blade Set With Case	**2x** S617K, 150mm x 3tpi - Ideal for coarse wood, free of nails (20-100mm) and pruning green wood (dia. up to 100mm). Especially for curved cuts/plunge cuts, **2x** S922BF, 152mmx10tpi- Ideal for thick sheet metal (3-8mm), solid pipes/profiles (dia.10-100mm); **2x** S918E,152mmx18tpi - Ideal for thin sheet metal (2-5mm) fine, closed pipes/profiles (dia.5-100mm); **2x** S611DF,152mmx6tpi – Ideal for use on wood, chipboard, wood with nails/ metal, window frames and fibreglass/epoxy up to 100mm thick; **2x** S922HF,152mmx14tpi – Ideal for use on wood, plastic, non-ferrous metals and are perfect for wood embedded with nails - great for pallet repair. They will also cut composite materials such as plastic, pipe and carbon steel. Ideally suited for materials that are 3.2mm and thicker; **1x** Heavy-duty extendable storage case.	990204

1061 CARBON STEEL HACK SAW BLADES, FLEXIBLE FOR METAL

10610301B10
10610301B50
10610301B100



10610302B10
10610302B50
10610302B100



10610303B10
10610303B50
10610303B100



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
12″/300mm	18	Wavy	High Carbon Steel -Flexible
12″/300mm	24	Wavy	High Carbon Steel -Flexible
12″/300mm	32	Wavy	High Carbon Steel -Flexible

- Carbon steel blade.
- Most flexible,with tempered tips and greatly stiffened back.
- Very suitable for pipe,tubing and solid.
- Cuts wood,plastic,low-alloy and medium-hardmess steel.

1062 BI-METAL HAND HACK SAW BLADES

10620301B10
10620301B50
10620301B100



10620302B10
10620302B50
10620302B100



10620303B10
10620303B50
10620303B100



OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
12″/300mm	18	Wavy	Bi-metal-Flexible
12″/300mm	24	Wavy	Bi-metal-Flexible
12″/300mm	32	Wavy	Bi-metal-Flexible

- Bi-metal construction. • Flexibility.
- Increased heat and wear resistant.
- Will not shatter and fast cutting.
- Long life and safe operation.
- Suitable for pipe, tubing and solids.
- Cuts wood, plastic or any machinable metal including conduit, stainless steel tubing, angle iron, copper tubing, structural materials, etc..

1063 HIGH SPEED STEEL HACK SAW BLADES

10630301B10
10630301B50
10630301B100



10630302B10
10630302B50
10630302B100



10630303B10
10630303B50
10630303B100




OVERALL LENGTH	TEETH PER INCH(TPI)	TOOTH DESIGN	BLADE MATERIAL
12″/300mm	18	Wavy	HSS-Rigid
12″/300mm	24	Wavy	HSS-Rigid
12″/300mm	32	Wavy	HSS-Rigid

- High speed steel construction. • Extra rigidity.
- High heat and wear resistant.
- Shatter resistant and safe operation.
- Long life,straighter and faster cuts.
- Good performance in low tension frames.
- Suitable for pipe, tubing and solids.
- Cuts wood, plastic or any machinable metal including conduit, stainless steel tubing, angle iron, copper tubing, structural materials, etc.


	Description	size	Part No.
	10pc Flexible HCS Hacksaw Blade in plastic tube	300x12.7mm x 18TPI	10610301B10
	50pc Flexible HCS Hacksaw Blade in plastic case	300x12.7mm x 18TPI	10610301B50
	100pc Flexible HCS Hacksaw Blade in plastic case	300x12.7mm x 18TPI	10610301B100
	10pc HSS Hacksaw Blade in plastic tube	300x12.7mm x 24TPI	10630302B10
	50pc HSS Hacksaw Blade in plastic case	300x12.7mm x 24TPI	10630302B50
	100pc HSS Hacksaw Blade in plastic case	300x12.7mm x 24TPI	10630302B100
	10pc M2 Bi-metal Hacksaw Blade in plastic tube	300x12.7mm x 18TPI	10620201B10
	50pc M2 Bi-metal Hacksaw Blade in plastic case	300x12.7mm x 18TPI	10620201B50
	100pc M2 Bi-metal Hacksaw Blade in plastic case	300x12.7mm x 18TPI	10620201B100
	10pc M42 Bi-metal Hacksaw Blade in plastic tube	300x12.7mm x 24TPI	10620302B10
	50pc M42 Bi-metal Hacksaw Blade in plastic case	300x12.7mm x 24TPI	10620302B50
	100pc M42 Bi-metal Hacksaw Blade in plastic case	300x12.7mm x 24TPI	10620302B100

All blades with quick release interface are compatible with the following oscillating tools:




Starcraft oscillating tool accessories are available in a wide range for use with corded or cordless oscillating tools in the following tasks: **cutting, sawing,grinding, sanding, scraping and grout removal.**


Sawing


Cutting


Grout Removal


Scraping


Grinding


Sanding



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10920301N	4″|102mm	HSS

- High speed steel for superior hardness.
- Segmented,ideal for edges and corners.
- Great for long straight cuts.
- For cutting thin metal,wood with nails and PVC.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10920302R	3-1/8″|80mm	HSS

- Great for flush cuts
- For continuous cutting in wood, drywall,plastic, copper, aluminum
- Other nonferrous metals,and other soft materials.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10940301N 10940301N5(5pcs)	1-3/8″|35mm	HCS

- Great general purpose cutting blade.
- Fine teeth provides smooth cutting.
- Max depth:1-5/8"(41mm).
- Designed to cut wood, plastic, plywood, particle board, laminate, lumber, and flooring.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10940302N	2-3/4″|69mm	HCS

- Great general purpose wide cutting blade.
- Fine teeth provides smooth cutting.
- Max depth:1-5/8"(41mm).
- For cutting wood,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10940303R 10940303N 10940303N5	1-3/8″|35mm	HCS

- Triple ground coarse toothing.
- Precision for smooth cuts in wood.
- Max.depth:1-5/8"(41mm).
- For fast cutting wood, plastic and drywall products



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10940304N	2-3/4″|69mm	HCS

- Triple ground coarse toothing.
- Max.precision for smooth cuts in wood.
- Max. depth:1-5/8"(41mm).
- For fast cutting wood, plastic and drywall products.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10940305N	1-3/4″|44mm	HCS

- Triple ground coarse toothing.
- Precison smooth cuts in wood.
- For plunge and flush cuts in hardwood-wood,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950301R 10950301N 10950301N5	1-3/8″|35mm	Bi-metal

- Cut up to 3/16" (4mm) diameter nails in wood.
- Bi-metal construction.
- Max depth: 1-5/8"(41mm).
- For cutting wood with nails,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950302N 10950302N3	3-7/16″|87mm	Bi-metal

- Cut up to 3/16" (4mm) diameter nails in wood.
- Bi-metal construction.
- Max depth: 1-5/8"(41mm).
- For cutting wood with nails,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950307N	1-3/4″|44mm	Bi-metal

- Titanium coated bi-metal construction for 30% longer life.
- Cut up to 3/16"(4mm) diameter nails in wood
- Max depth: 1-5/8"(41mm).
- For plunge and flush cuts in wood with nails, PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950303N	1-1/4″|32mm	Bi-metal

- Titanium coated bi-metal construction for 30% longer life.
- Cut up to 3/16"(4mm) diameter nails in wood
- Max depth: 1-5/8"(41mm).
- For plunge and flush cuts in wood with nails, PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10960303N	1-1/4″|32mm	Bi-metal

- Cut up to 3/16" (4mm) diameter nails in wood.
- Great to cut flooring around cabinet toe kicks.
- Max depth 1"(25.4mm).
- For cutting wood with nails,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10960304N	1-1/4″|32mm	HSS

- Sharpened tip allow plunge-cutting with no pilot hole needed.
- Designed to make both straight and curved cuts easily.
- For curved and straight cuts in drywall.

CARBIDE TEETH PLUNGE CUT BLADE

Premium Carbide Teeth
30x life compared with standard bi-metal blades.

Silk Screen Printing
For easily identifying the blade size and material to be cut.



Carbide Cutting Edge
Offers the best cutting performance In metal and other materials.

Universal Quick Release Interface
Fits most brand oscillating tools, like Bosch, Craftsman, Hitachi, Makita, Metabo, Milwaukee, Ridgid, Ryobi, Skil, DeWalt,etc.

Applications:
Cuts through hard metals, hardened steel screws and bolts, masonry, rebar and much more.







ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23560301N	1-3/8"|34mm	Carbide Strip
23560302N	1-3/16"|31mm	Carbide Strip

- Carbide strip teeth performance for 30x more cuts.
- Additional applications:bolts,hardened-screws,nails.
- For plunge and flush cuts in metal,copper pipe, fiber cement,tile.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10960301N	2″|52mm	Stainless steel

- Easily removes silicone or acrylic caulk.
- For fast,safe & easy removal of glued carpet.
- For scraping caulk and glue .



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10960302N	2″|52mm	Stainless steel

- Rigid enough to remove carpet and laminate.
- Ideal for removing glue,tile adhesive and window putty.
- For scraping caulk,carpet and glue.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23570301N	3″|78mm	Carbide Grit

- Coated with carbide grit.
- For grinding,rasping or aggressive material removal.
- Applications include wood,hardened adhesives, thinset and masonry.
- For grinding tile adhesive,porous concrete and stone.
- For fast, clean removal of old and damaged tile grout.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23570302N	3-1/2″|89mm	Carbide Grit

- Brazed with carbide grit.
- Segmented,ideal for edges and corners.
- Cut out tile grout,score grooves in plaster, or porous concrete.
- For cutting tile grout,plaster and porous concrete.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23570303N	2-9/16″|65mm	Carbide Grit

- Brazed with carbide grit.
- Segmented,ideal for edges and corners.
- Cut out tile grout,score grooves in plaster, or porous concrete.
- For cutting tile grout,plaster and porous concrete.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23580301N	1-3/8″|34mm	Carbide Grit

- Brazed with carbide grit.
- Optimal for removing stubborn grout between tiles.
- Plunge cuts in plaster and soft porous materials.
- For cutting tile grout,plaster and porous concrete.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
27140301N	3-1/8"|80mm	Plastic

- Hook and loop system for attaching sandpaper.
- Perforated pad alows for dust extraction.
- Plastic plate prevents damage and marks.
- For use with sandpaper backed with loop fastening systems.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
26970301N12	3-1/2"|89mm	Aluminum Oxide

- Hook and loop system for quick and easy changes.
- Used on triangle sanding pad.
- Grits available-40,60,80,120,180,220.
- For sanding wood and paint.
- Trianglar shape allows precise sanding right into tight corners.
- Convenient hook and loop attachment system holds tight, but easily removed.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10990301N	2-1/2"|64mm	HCS& Carbide Grit

- 3-in-1 Multi materials blade.
- Cut,Scrape,Grout removal in one blade.
- Max depth 3/4"(19mm).
- For removing old elastic sealants, paint, adhesive residues, wallpaper. cutting nail embedded wood, fiberglass, tubing, PVC, copper piping, metal mesh, sheet metal.
- Removing and grinding grout, thin set paint, dried adhesives.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23580316R	2-1/16"|62mm	Diamond Grit

- Brazed with Diamond grit.
- Optimal for removing stubborn grout between tiles.
- Plunge cuts in plaster and soft porous materials.
- For cutting tile grout,plaster and porous concrete.

SINGLE GANG PLUG SOCKET BOX CUTTER



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
11110201C	3"x3"|75x75mm	HCS
11110202C	2.28"x3-7/8"|58x98mm	HCS

- For flush cuts in wood, plastic, drywall and other similar materials.
- High carbon steel construction for increased durability and strenth.



INDIVIDUAL PACKAGE DISPLAY
PACKED IN
PAPER CARD



INDIVIDUAL PACKAGE DISPLAY
PACKED IN
TRAPPED BLISTER CARD

OSCILLATING TOOL ACCESSORIES
WOOD/METAL/PLASTIC

starcraft®



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10940309N	1-9/16"|40mm	HCS

- Curved cutting edge allows for precise and smooth plunge cutting.
- HCS blade for cutting wood, plastic and more.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950314N	1-9/16"|40mm	BIM

- Curved cutting edge allows for precise and smooth plunge cutting.
- BIM blade for cutting metal,wood with nails, plastic and more.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950315N	2-1/16"|52mm	Bi-metal

- Curved cutting edge allows for precise and smooth plunge cutting.
- Bi-metal blade for effortless cutting through wood and plastic. Nor suitable for metal cuting.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950316N	2-1/16"|52mm	BIM

- Curved cutting edge allows for precise and smooth plunge cutting.
- BIM blade for cutting metal,wood with nails, plastic and more.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10940308N	2-3/4"|68mm	HCS

- Curved cutting edge allows for precise and smooth plunge cutting.
- HCS blade for cutting wood, plastic and more.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950313N	2-3/4"|68mm	BIM

- Curved cutting edge allows for precise and smooth plunge cutting.
- BIM blade for cutting metal,wood with nails, plastic and more.



ITEM NO.	DIAMETER (INCH/MM)	BLADE MATERIAL
10950317N	3-7/16"|87mm	Bi-metal

- Titanium coated bi-metal construction for 30% longer life.
- Cut up to 3/16" (4mm) diameter nails in wood.
- Max depth: 3/4"(19mm).
- For cutting wood with nails,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950318N	1-1/4"|32mm	Bi-metal

- Titanium coated bi-metal construction for 30% longer life.
- Cut up to 3/16"(4mm) diameter nails in wood
- Max depth: 2-11/16"（68mm）
- For plunge and flush cuts in wood with nails,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10950319N	2-9/16"|65mm	Bi-metal

- Titanium coated bi-metal construction for 30% longer life.
- Cut up to 3/16"(4mm) diameter nails in wood
- Max depth: 1-9/16"（40mm）
- For plunge and flush cuts in wood with nails,PVC and drywall.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23570304N	2"|51mm	Carbide Grit

- Coated with carbide grit.
- For rough sanding filler material,tile adhesive,concrete, and wood.
- Narrow finger shape perfect for tight spaces.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23580302N	1-3/8"|34mm	Diamond Grit

- Diamond grit blades last 5x longer life than carbide grit blades in tough applications.
- Optimal for plunge and flush cutting out tough damaged tile grout and cutting grooves in plaster,porous concrete,etc.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23580303N	2-5/16"|59mm	Diamond Grit30-40

- Diamond grit blades last 5x longer life than carbide grit blades in tough applications.
- Optimal for cutting out damaged tile grout and cutting grooves in plaster,porous concrete,etc.
  The swing shape design allows for access in tight spaces.



ITEM NO.	DIAMETER (INCH/MM)	BLADE MATERIAL
23580304N	2-1/2"|65mm	Diamond Grit 45-50

- Diamond grit blades last 5x longer life than carbide grit blades in tough applications.
- Optimal for cutting out damaged tile grout and cutting grooves in plaster,porous concrete,etc.
  Half moon shape ideal for corner work.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
23580305N	1-1/4"|32mm	Diamond Grit 45-50

- Diamond grit blades last 5x longer life than carbide grit blades in tough applications.
- Optimal for plunge and flush cutting out tough damaged tile grout and cutting grooves in plaster,porous concrete,etc.



ITEM NO.	PLUNGE DEPTH (INCH/MM)	BLADE MATERIAL
10960306N	3"|76mm	Stainless steel

- Triple ground cutting edges for fast material removal.
  Tapered blade shape for easier plunging.
- Ideal for removing deep penetrating sealant,caulking, silicon and other soft bonding materials up to 3" deep.



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
10960307N	-	Stainless steel


- Unique, hooked blade design allows one-handed cutting
  Dual push/pull blades permit cutting in either direction
- Make cuts in difficult-to-cut, flexible materials
  Use on carpet, vinyl flooring, asphalt roofing shingles, cardboard, foam insulation and more



ITEM NO.	WIDTH (INCH/MM)	BLADE MATERIAL
11310301N	-	High carbon steel

- Ground cutting edges for fast material cutting.
  Dual push/pull blades permit cutting in either direction.
- Ideal for asphalt roofing shingles, carpet, vinyl flooring, cardboard, foam insulation and more.

Description	Includes			Part No.
  7pcs Oscillating saw blade set in trapped blister card	quantity	Description	Size	990101
	2X	Wood Precision blade	34*40	
	2X	Wood cutting blade	69*41	
	1X	Metal Cutting blade	22*50.5	
	1X	Carbide grit radial blade	Ø65	
	1X	Bi-metal radial blade	Ø87	
  4pcs Oscillating saw blade set in trapped blister card	quantity	Description	Size	990103
	1X	Wood Precision blade	22	
	1X	Wood cutting blade	69*40	
	1X	Flexible scraper blade	52x45mm	
	1X	Bi-metal radial blade	87mm	
  4pcs Oscillating saw blade set in trapped blister card	quantity	Description	Size	990104
	1X	Titanium coated Bi-metal blade	34x40mm	
	1X	Titanium coated Bi-metal blade	44x40mm	
	1X	Titanium coated Bi-metal blade	65x40mm	
	1X	Titanium coated Bi-metal Semi-circle blade	87mm	
  3pcs Oscillating saw blade set in trapped blister card	quantity	Description	Size	990105
	1X	Wood Precision blade	34x40	
	1X	Wood cutting blade	69*41	
	1X	Radial blade	Ø87	
  4pcs Oscillating saw blade set in trapped blister card	quantity	Description	Size	990106
	1X	Flexible scraper blade	52*38.5	
	1X	Carbide grit delta rasp	79*79*79	
	1X	Diamond grit segment boot blade	57mm	
	1X	Carbide grit radial blade	Ø65	
  12pcs Oscillating saw blade set in trapped blister card	quantity	Description	Size	990107
	3X	Wood Precision blade	34*40	
	3X	Wood Precision blade	69*41	
	3X	Metal Cutting blade	22*50.5	
	3X	Wood cutting blade	69*41	


starcraft®
QUALITY · VALUE · INNOVATION



Enjoy Work!
Enjoy Life!

www.starcraftools.com

Add:No.880 Xingwen Road; Jiading District, Shanghai, China
Tel:0086-21-33517000
Email:sales@starcraftgroup.com
Copyright©2026